## Records of Immigrant Insects for 1933

## BY THE EDITOR

The occurrence in Hawaii of the following immigrant insects is recorded for the first time in this issue. Those of the list marked with an asterisk were observed for the first time in the year 1933. The other species were already known to occur here, some of them for a number of years, but they had not been identified previously, and herein their names are used for the first time in Hawaiian literature. For details of records, etc., refer to the pages given.

	Page
*Hunterellus hookeri Howard. Parasite of dog tick. (Hym.)	. 360
*Eumerus sp. Syrphid fly	. 361
*Leucaspis cockerelli Green. Orchid scale	. 365
*Habrolepis sp. (Hym.)	365
*Thripoctenus sp. Thrips parasite	
Pterolophia camura Newman. (Col.)	. 373
*Megalothorax minimum Willem. (?) (Collembola)	. 375
*Eumerus sp. Syrphid fly	. 375
*Protura (Myrientomata)	378
*Exochus sp. (?) (Hym.: Tryphoninae)	378
*Mesovelia mulsanti White. (Hem.)	. 378
Pleurotropis wilderi (Howard). (Hym.)379	
Omosita discoidea (Fab.). (Col.)	. 380
*Bythoscopus robustus (Uhler). (Hom.)381	, 533
*Oligomerus obtusus Leconte. (?) (Col.)	. 381
Parajapyx isabellae (Grassi). (Japygoidea)	. 382
*Pterostichus californicus (Dej.) (Col.)	388
*Lema nigrovittata Guerin. (Col.)	. 389
*Cecidomyid (Diptera)	389
Neotrichus latiusculus (Fairm.) (Col.)	393
Acythopeus sp. Orchid weevil	
*Heterodoxus longitarsus Piaget, Kangaroo louse	394